CORE RESTORE® 14-DAY KIT





CLINICAL APPLICATIONS

- Revitalizes Liver Health and Supports Natural Detoxification Mechanisms
- Focuses on Both Phases of Liver Detoxification
- Provides Micronutrients, Phytonutrients, and Cofactors that Support Detoxification of Xenobiotics and Xenoestrogens
- · Supports Healthy Estrogen Metabolism
- Increases Antioxidant Protection and Glutathione Production
- · Promotes Gastrointestinal Health

DETOX SUPPORT

What is the Core Restore® Program?


The Core Restore® program is a strategic system designed to safely enhance and promote the primary pathways of detoxification in the liver. The Core Restore® Kit provides three active formulas – CORE Support, Alpha Base®, and PhytoCore – which function synergistically to support Phase I and Phase II pathways of liver detoxification to help neutralize environmental pollutants, hormone disruptors, unhealthy estrogen metabolites, xenoestrogens (synthetic compounds that imitate estrogen), and other harmful toxins. This powerful trio of specialized formulas provides essential micronutrients, phytonutrients, and a source of easily digested, low- allergen protein that purify the liver and fuel optimal biotransformation. The Core Restore® Kit provides an easy-to-follow, 14-day program designed to reduce the incoming burden of toxins to restore optimal health.

Overview of Detoxification[†]

Our increasingly toxic world creates a major burden on our bodies. Exposure through the air we breathe, the stress we feel and the food we ingest can add up to over 14 pounds of pesticides, herbicides, food additives and preservatives per year for the average American. The liver, together with the gastrointestinal tract, is the organ responsible for removing these toxins through a process called biotransformation. If the liver is not working at full speed, every other system in the body is at risk as fat soluble toxins, which are poorly excreted, become stored in the body. The process of biotransformation is performed through a two-step enzymatic process known as Phase I and Phase II detoxification.¹

These two pathways help to breakdown toxins into harmless substances. Phase I is composed of a series of enzymes, called cytochrome P450, which chemically change harmful, fatsoluble toxins into more toxic substance called intermediate

metabolites.² Since the "intermediary metabolites" are often more toxic than the original fat- soluble toxin, they must then go through Phase II processing into safe and water-soluble form through their attachment to other molecules, to form inert compounds which are then safely released from the body. The Core Restore® program is a science-based system strategically designed to enhance Phase II mechanisms first, ensuring proper clearance of toxins, then provides nutritional support for Phase I detoxification making sure each step of biotransformation is in sync and reducing the toxic burden on the body.





Why 14 Days?

The extended Core Restore® program may be recommended for patients experiencing increased toxic burden, or when it is determined that the body contains an excess of toxins and cannot efficiently handle them. Patients who do not feel fully rejuvenated after the 7-day Core Restore® program may be better suited for the 14-day Core Restore® program, and should continue on the extended program under the guidance of their health care professional.

Products Included in the Core Restore® Kit:

CORE Support[†]

CORE Support powder enhances Phase II detoxification by providing clean protein, gentle fiber, and specific nutrients which help eliminate toxins during the 14-day detoxification program. CORE Support provides nutrients needed for Phase II detox including N-acetyl cysteine, glycine, taurine, lipoic acid, green tea extract, ellagic acid, and a unique blend of vegetable phytonutrients. The antioxidant activity of this unique blend of nutrients is protective against cell damage by free radicals and helps induce Phase II enzymes which facilitate the removal of toxins from the body and scavenge free radicals.³ Research has shown that glutathione and the amino acid cysteine help to regulate Phase II conjugation reactions 4 and epigallocatechin-3-gallate (EGCG), the major polyphenol in green tea, has also been shown to induce expression of glutathione S-transferase and glutathione peroxidase.⁵ CORE Support provides brown rice protein as a satisfying and hypoallergenic energy source, as well as 6 g of fiber per serving, essential for binding toxins for elimination.

Directions

Mix 2 scoops (37.5 grams) of Core Support with 8-10 ounces of water or to the desired thickness, 2 times daily or as recommended by your health care professional.

Cautions

Without drinking enough liquid, this product may swell in throat, causing blockage or choking. DO NOT use if you have ever had esophageal narrowing or swallowing difficulties. Seek immediate medical help if symptoms of esophageal blockage (chest pain/pressure, regurgitation or difficulty swallowing) occur. May cause allergic reaction in persons sensitive to inhaled or ingested psyllium.

Supplement Facts Serving Size 2 Scoops (37.5 Grams)

Serving Size 2 Scoops (37.5 Grams) Servings Per Container About 14

| | Amount Per Serving | % Daily Value |
|---|-----------------------|------------------|
| Calories | 150 | |
| Total Fat | 2 g | 3%* |
| Total Carbohydrate | 13 g | 5%* |
| Dietary Fiber | 6 g | 21%* |
| Total Sugars | 6 g | ** |
| Includes 5g Added Sugars | | 10%* |
| Protein | 15 g | 30%* |
| Calcium | 20 mg | 2% |
| Iron | 1 mg | 6% |
| Magnesium (as Magnesium Citrate USP) | | 24% |
| Sodium | 30 mg | 1% |
| Potassium (as Potassium Citrate USP) | 170 mg | 4% |
| Rice Protein | 18.8 g | ** |
| Psyllium Husk Powder (Organic) | 5.17 g | ** |
| Glycine USP | 500 mg | ** |
| Vegetable Antioxidant Blend | 500 mg | |
| (2,500 ORAC): | | |
| Broccoli Sprout Concentrate | | ** |
| Onion Extract | | ** |
| Tomato | | ** |
| Broccoli | | ** |
| Carrot | | ** |
| Spinach | | |
| Kale | | ** |
| Brussels Sprout | 0.50 | ** |
| Taurine USP | 250 mg | ** |
| L-Glutamine USP | 150 mg | ** |
| Acetyl L-Carnitine Hydrochloride (MitoCa | | |
| N-Acetyl-L-Cysteine USP | 125 mg | ** |
| Alpha Lipoic Acid | 50 mg | |
| Green Tea Leaf Extract (Standardized to contain 45% EGCg (Epigallocatech | 50 mg in gallate)) | ** |
| Rosemary Leaf Extract | 50 mg | ** |
| Schisandra Berry Extract | 50 mg | ** |
| Ellagic Acid | 25 mg | ** |
| Glucosinolates | 1 mg | ** |
| * Percent Daily Values are based on a 2, ** Daily Value not established. | 000 calorie die | et. |

CORE Support Vanilla ID# 680001 NET WT. 1 lb 2.5 oz (18.5 oz) (525 g)

Supplement Facts

Serving Size 2 Scoops (37 Grams) Servings Per Container About 14

| | Amount Per Serving | % Daily Value |
|--|-----------------------|------------------|
| Calories | 150 | |
| Total Fat | 2.5 g | 3%* |
| Saturated Fat | 1 g | 5%* |
| Total Carbohydrate | 13 g | 5%* |
| Dietary Fiber | 6 g | 21%* |
| Total Sugars | 6 g | ** |
| Includes 5 g Added Sugars | | 10%* |
| Protein | 15 g | 30%* |
| Calcium | 20 mg | 2% |
| ron | 4 mg | 22% |
| Magnesium (as Magnesium Citrate USP) | 100 mg | 24% |
| Sodium | 15 mg | <1% |
| Potassium (as Potassium Citrate USP) | 500 mg | 11% |
| Rice Protein | 17.34 g | ** |
| Psyllium Husk Powder (Organic) | 4.16 g | ** |
| Glycine USP | 500 mg | ** |
| Vegetable Antioxidant Blend (2,500 ORAC): | 500 mg | |
| Broccoli Sprout Concentrate | | ** |
| Onion Extract | | ** |
| Tomato | | ** |
| Broccoli | | ** |
| Carrot | | ** |
| Spinach | | ** |
| Kale | | ** |
| Brussels Sprout | | ** |
| Taurine USP | 250 mg | ** |
| L-Glutamine USP | 150 mg | ** |
| Acetyl L-Carnitine Hydrochloride (MitoCar | | |
| N-Acetyl-L-Cysteine USP | 125 mg | ** |
| Alpha Lipoic Acid | 50 mg | ** |
| Green Tea Leaf Extract (Standardized to contain 45% EGCg (Epigallocatechin | 50 mg n gallate)) | ** |
| Rosemary Leaf Extract | 50 mg | ** |
| Schisandra Berry Extract | 50 mg | ** |
| Ellagic Acid | 25 mg | ** |
| Glucosinolates | 1 mg | ** |
| * Percent Daily Values are based on a 2,6 ** Daily Value not established. | 000 calorie die | et. |

CORE Support Chocolate ID# 681001 NET WT. 1 lb 2.3 oz (18.3 oz) (518 g)



PhytoCore[†]

PhytoCore is added on the third day of the Core Restore® program to stimulate Phase I activity once Phase II has been established. The specialized blend of nutrients in PhytoCore has been shown to stimulate Phase I and II biotransformation and support the body's natural liver cleansing function during detoxification. Each capsule includes silymarin, artichoke extract, Complete Turmeric Matrix, methionine, choline, inositol, garlic, and dandelion root. These botanicals and plant extracts include phytonutrients, antioxidants and other compounds that protect plants from environmental challenges including exposure to radiation and toxins, and defend them against pests and other agents. In humans, this array of biologically active compounds has been shown to increase cellular defenses, upregulate detoxification, and protect DNA.^{6,7}

Silymarin has been found to possess substantial protective effects and free radical scavenging capacity, protecting the liver against oxidative damage while it neutralizes toxic environmental contaminants.8 Curcumin, in the form of Complete Turmeric Matrix, another compound in PhytoCore, has also been linked with increased expression of the detoxification enzymes glutathione-s-transferases, glutathione reductase, epoxide hydrolase, HO-1, catalase and NQO1 in liver, small intestine and kidney tissues.9 Whole-root turmeric and its active components have been used in traditional Ayurvedic medicine for centuries. In herbal medicine of old, practitioners used teas, tinctures and extracts of all types. In the 21st century, as research grew on the benefits of turmeric, the focus shifted to identifying and isolating one individual compound, curcumin, rather than delivering the comprehensive benefits of a matrix of turmeric bioactives. As a result, concentrating curcumin led to poor absorption and pharmaceutical methods were applied to bypass the gut and increase its bioavailability. The glaring disadvantage of applying this pharmaceutical model to botanicals is that it misses the benefits of other bioactives present within the turmeric matrix and their positive effects on the microbiome. New research on turmeric shows the additional bioactives in turmeric have additional benefits and enhance bioavailability. The Complete Turmeric Matrix includes compounds from the entire turmeric root, all working together as nature intended to deliver better results. The Complete Turmeric Matrix formulation contains standardized amounts of 45%-55% curcuminoids, 2%-6% turmerin protein and 3%-8% volatile oil, plus other components that make up the whole turmeric root. This matrix of bioactive compounds supports a healthy GI tract, enhances detoxification, creates a healthy microbiome, and helps maintain normal inflammatory balance.

Directions

2-3 capsules two times per day or as recommended by your health care professional.

Supplement Facts Serving Size 3 Capsules Servings Per Container 19

| 3 capsules contain | Amount Per Serving | % Daily Value |
|---|-----------------------|------------------|
| Choline (as Choline Bitartrate) | 72 mg | 13% |
| Dandelion Root Extract | 225 mg | * |
| Artichoke Leaf Extract (Standardized to contain 5% Cynarin) | 145 mg | * |
| Inositol NF | 140 mg | * |
| L-Methionine USP | 140 mg | * |
| Milk Thistle Seed Extract (Standardized to contain 80% Silymarin) | 130 mg | * |
| Garlic Bulb | 100 mg | * |
| Turmeric Root Extract (Complete Turmeric Matrix) (Standardize 45-55% Curcuminoids, 3-8% Volatile Oil, | | * |

PhytoCore ID# 523058 58 Capsules



Alpha Base®†

Alpha Base® provides a multi-nutrient foundation to ensure the liver has adequate amounts of important trace minerals and vitamins needed for the energy/nutrient intensive process of detoxification. Nutrients such as vitamin C, vitamin E, and the B vitamins are required for cytochrome P450 activity.¹ In addition to vitamins and trace minerals, carotenoids are included to help scavenge free radicals and protect cells while toxins are removed.

Directions

4 capsules per day as part of the Core Restore® program, or as recommended by your health care professional.

Cautions

All forms of vitamin K may interact with blood thinning medications. If you are taking such medicines please consult with your physician before taking this product.

Supplement Facts Serving Size 4 Capsules Servings Per Container 14 % Daily Amount Per Serving Value 2,250 mcg 250% (from 7,500 IU as Natural Beta Carotene, Palmitate) 556% (as Calcium Ascorbate USP, Ascorbic Acid USP) Vitamin D (D3 as Cholecalciferol) 25 mcg (1,000 IU) 125% Vitamin E (from 100 IU as d-Alpha Tocopherol Succinate USP) 67 mg 447% Vitamin K (K1 as Phytonadione) 50 mcg 42% Thiamin (Vitamin B1) (from Thiamine Hydrochloride USP) 2.083% 25 mg Riboflavin (Vitamin B2 USP) 25 mg 1.923% Niacin (as Niacin USP, Niacinamide USP 25 mg 156% 37 mg 2,176% Vitamin B6 (as Pyridoxine Hydrochloride USP) Folate (from 400 mcg as Quatrefolic® (6S)-5-Methyltetrahydrofolic acid glucosamine salt) 680 mcg DFE 170% 500 mcg 20,833% Vitamin B12 (as Methylcobalamin) 667% 200 mcg Pantothenic Acid (as d-Calcium Pantothenate USP) 3,000% 150 mg 19 mg Choline (as Choline Bitartrate) 3% Calcium (as DimaCal™ Dicalcium Malate 100 mg 8% Calcium Ascorbate USP, d-Calcium Pantothenate USP) 75% lodine (from Kelp) 112 mcg Magnesium (as DiMagnesium Malate, TRAACS™ Magnesium Lysinate Glycinate Chelate) 200 mg 48% Zinc (as TRAACS™ Zinc Bisglycinate Chelate) 91% 10 mg Selenium (as Selenium Glycinate Complex) 100 mcg Copper (as TRAACS™ Copper Bisglycinate Chelate) 111% 1 mg Manganese 2.5 mg 109% (as TRAACS™ Manganese Bisglycinate Chelate) 200 mcg 571% Chromium (as O-polynicotinate)‡ 25 mcg 56% (as TRAACS™ Molybdenum Glycinate Chelate) Potassium (as Potassium Citrate USP) 50 mg 1% Inositol NF 50 mg Mixed Tocopherols 50 mg 25 mg Boron (as Bororganic Glycine) 1.5 mg Vanadyl Sulfate Hydrate 1 mg Vitamin K2 (as Menaquinone-7 (MK-7)) MenaQ7®PRO) 12.5 mcg * Daily Value not established.

Alpha Base® Capsules without Iron ID# 152056 56 Capsules

References

- 1. Liska, D. J. The detoxification enzyme systems. *Altern Med Rev.* 1998; 3(3):187-198.
- 2. Liska, D., Lyon, M. et al. Detoxification and Biotransformational Imbalances. 2005;(22):275-298.
- 3. Wattenberg LW. Inhibition of carcinogenesis by minor dietary constituents. *Cancer Res* (Suppl) 1992;52: 2085s-2091s.
- 4. Bland JS. Detoxification and rejuvenation. The 20-day rejuvenation diet program. 1997:105-120.
- 5. HK, Surh YJ. Modulation of Nrf2-mediated antioxidant and detoxifying enzyme induction by the green tea polyphenol EGCG. *Food Chem Toxicol*. 2008 Apr;46(4):1271-8. Epub 2007 Oct 17. Na.
- 6. Tuteja N, Singh MB, Misra MK, Bhalla PL, Tuteja R. Molecular mechanisms of DNA damage and repair: progress in plants. *Crit Rev Biochem Mol Biol* 2001;36:337–397.
- 7. Huffman MA. Animal self-medication and ethnomedicine: exploration and exploitation of the medicinal properties of plants. *Proc Nutr Soc* 2003;62:371–381.
- 8. Kiruthiga PV, Shafreen RB, Pandian SK, Devi KP. Silymarin protection against major reactive oxygen species released by environmental toxins: exogenous H2O2 exposure in erythrocytes. *Basic Clin Pharmacol Toxicol*. 2007 Jun;100(6):414-9.
- 9. Shen G, Xu C, Hu R, Jain MR, et al. Modulation of nuclear factor E2-related factor 2-mediated gene expression in mice liver and small intestine by cancer chemopreventive agent curcumin. *Mol Cancer Ther* 2006;1:39–51.

EFFICACY